

全国订货电话 4008-723-722

## 兔抗 AGER 多克隆抗体

- 中文名称: 兔抗 AGER 多克隆抗体
- 英文名称: Anti-AGER rabbit polyclonal antibody
- 别 名: RAGE
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 抗 原: AGER
- 宿 主: Rabbit
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

## TW-reagent.com

## 全国订货电话 4008-723-722

Background:	The advanced glycosylation end product (AGE) rec eptor encoded by this gene is a member of the i mmunoglobulin superfamily of cell surface receptor s. It is a multiligand receptor, and besides AGE, int eracts with other molecules implicated in homeost asis, development, and inflammation, and certain d iseases, such as diabetes and Alzheimer's disease. Many alternatively spliced transcript variants encodi ng different isoforms, as well as non-protein-codin g variants, have been described for this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	AGER
Immunogen:	Fusion protein of human AGER
Full name:	Advanced glycosylation end product-specific recept or
Synonyms :	RAGE
SwissProt:	Q15109
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human breast cancer and Human gastric cancer
IHC Recommend dilution:	100-300
WB Predicted band size:	43 kDa
WB Positive control:	231 cells
WB Recommended dilution:	500-2000





