

兔抗 BLM(Phospho-Thr99) 多克隆抗体

中文名称： 兔抗 BLM(Phospho-Thr99) 多克隆抗体

英文名称： Anti-BLM(Phospho-Thr99) rabbit polyclonal antibody

别 名： BS; RECQ2; RECQL2; RECQL3

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： BLM(Phospho-Thr99)

反应种属： Human

标 记 物： Unconjugate

克隆类型： Unconjugate

技术规格

Background:	The Bloom syndrome gene product is related to the Rec Q subset of DExH box-containing DNA helicases and has both DNA-stimulated ATPase and ATP-dependent DNA helicase activities. Mutations causing Bloom syndrome delete or alter helicase motifs and may disable the 3'-5' helicase activity. The normal protein may act to suppress inappropriate recombination.
Applications:	WB, IHC
Name of antibody:	BLM(Phospho-Thr99)
Immunogen:	Peptide sequence around phosphorylation site of threonine 99 (Q-E-T(p)-Q-R) derived from Human Bloom Syndrome.
Full name:	Bloom syndrome, RecQ helicase-like

Synonyms :	BS; RECQL2; RECQL3
SwissProt:	P54132
IHC positive control:	Human heart tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	159 kDa
WB Positive control:	HepG2 cells lysates
WB Recommended dilution:	500-1000



