

兔抗 CD27 多克隆抗体

中文名称：兔抗 CD27 多克隆抗体

英文名称： Anti-CD27 rabbit polyclonal antibody

别名： T14; S152; Tp55; TNFRSF7; S152. LPFS2

相关类别： 一抗

抗原： CD27

储存： 冷冻（-20℃）

宿主： Rabbit

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is required for generation and long-term maintenance of T cell immunity. It binds to ligand CD70, and plays a key role in regulating B-cell activation and immunoglobulin synthesis. This receptor transduces signals that lead to the activation of NF-kappaB and MAPK8/JNK. Adaptor proteins TRAF2 and TRAF5 have been shown to mediate the signaling process of this receptor. CD27-binding protein (SIVA), a proapoptotic protein, can bind to this receptor and is thought to play an important role in the apoptosis induced by this receptor.
Applications:	ELISA, WB, IHC

Name of antibody:	CD27
Immunogen:	Fusion protein of human CD27
Full name:	CD27 molecule
Synonyms :	T14; S152; Tp55; TNFRSF7; S152. LPFS2
SwissProt:	P26842
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human colon cancer and human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	29 kDa
WB Positive control:	Raji and Iovo cells
WB Recommended dilution:	500-2000



