

全国订货电话 4008-723-722

小鼠抗 E2F1 单克隆抗体

- 中文名称: 小鼠抗 E2F1 单克隆抗体
- 英文名称: Anti-E2F1 mouse monoclonal antibody
- 别 名: E2F transcription factor 1; RBP3; E2F-1; RBAP1; RBBP3
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Mouse
- 抗 原: E2F1
- 反应种属: Human, Rat
- 标记物: Unconjugate
- 克隆类型: Mouse Monoclonal

技术规格

Background:	The protein encoded by this gene is a member of the E2F family of transcription factors. The E2F family plays a cruci al role in the control of cell cycle and action of tumor sup pressor proteins and is also a target of the transforming p roteins of small DNA tumor viruses. The E2F proteins cont ain several evolutionally conserved domains found in most members of the family. These domains include a DNA bin ding domain, a dimerization domain which determines inte raction with the differentiation regulated transcription factor r proteins (DP), a transactivation domain enriched in acidic amino acids, and a tumor suppressor protein association d omain which is embedded within the transactivation domai n. This protein and another 2 members, E2F2 and E2F3, ha ve an additional cyclin binding domain. This protein binds
-------------	--



全国订货电话 4008-723-722

	preferentially to retinoblastoma protein pRB in a cell-cycle dependent manner. It can mediate both cell proliferation a nd p53-dependent/independent apoptosis.
Applications:	WB, IF, IP
Name of antibody:	E2F1
Immunogen:	Fusion protein of human E2F1
Full name:	E2F transcription factor 1
Synonyms:	RBP3; E2F-1; RBAP1; RBBP3
SwissProt:	Q01094
WB Predicted band size:	47 kDa
WB Positive control:	C6, Raw264.7 and Hela cell lysates
WB Recommended dilution:	500-2000
IF positive control:	Hela cells
IF Recommend dilution:	50-100





