

兔抗 UGT1A10 多克隆抗体

中文名称: 兔抗 UGT1A10 多克隆抗体

英文名称: Anti-UGT1A10 rabbit polyclonal antibody

别 名: UDPGT; UGT1J; UGT-1J; UGT1-10; UGT1.10

储 存: 冷冻 (-20°C)

抗 原: UGT1A10

宿 主: Rabbit

反应种属: Human

相关类别: 一抗

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | This gene encodes a UDP-glucuronosyltransferase, an enzyme of the glucuronidation pathway that transforms small lipophilic molecules, such as steroids, bilirubin, hormones, and drugs, into water-soluble, excretable metabolites. This gene is part of a complex locus that encodes several UDP-glucuronosyltransferases. The locus includes thirteen unique alternate first exons followed by four common exons. Four of the alternate first exons are considered pseudogenes. |
| Applications: | ELISA, WB |
| Name of antibody: | UGT1A10 |
| Immunogen: | Fusion protein of human UGT1A10 |
| Full name: | UDP glucuronosyltransferase 1 family, polypeptide A10 |
| Synonyms : | UDPGT; UGT1J; UGT-1J; UGT1-10; UGT1.10 |

| | |
|-----------------------------|-----------|
| SwissProt: | Q9HAW8 |
| ELISA Recommended dilution: | 1000-2000 |
| WB Predicted band size: | 60 kDa |
| WB Positive control: | A431 cell |
| WB Recommended dilution: | 200-1000 |

