

小鼠抗 MED27 单克隆抗体

- 中文名称: 小鼠抗 MED27 单克隆抗体
- 英文名称: Anti-MED27 mouse monoclonal antibody
- 别 名: mediator complex subunit 27; MED3; CRSP8; CRAP34; CRSP34; TRAP37
- 相关类别: 一抗
- 储 存: 冷冻(-20℃)
- 宿 主: Mouse
- 抗 原: MED27
- 反应种属: Human
- 标记物: Unconjugate
- 克隆类型: mouse monoclonal

技术规格

Background:	The activation of gene transcription is a multistep proces s that is triggered by factors that recognize transcription al enhancer sites in DNA. These factors work with co-acti vators to direct transcriptional initiation by the RNA poly
	merase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activati
	on) complex, which, along with TFIID, is required for effi
	cient activation by SP1. This protein is also a component
	of other multisubunit complexes e.g. thyroid hormone re
	ceptor-(TR-) associated proteins which interact with TR a
	nd facilitate TR function on DNA templates in conjunctio
	n with initiation factors and cofactors. Alternatively splice
	d transcript variants encoding multiple isoforms have bee
	n observed for this gene, and a pseudogene of this gen





	e is located on the long arm of chromosome 5.
Applications:	WB
Name of antibody:	MED27
Immunogen:	Fusion protein of human MED27
Full name:	mediator complex subunit 27
Synonyms:	MED3; CRSP8; CRAP34; CRSP34; TRAP37
SwissProt:	Q6P2C8
WB Predicted band size:	35 KD
WB Positive control:	HepG2, K562, Hela, MCF7, Jurkat, A549, 293T cell lysates
WB Recommended dilution:	500-2000