

兔抗 IGF1R(Ab-1346) 多克隆抗体

中文名称： 兔抗 IGF1R(Ab-1346) 多克隆抗体

英文名称： Anti-IGF1R(Ab-1346) rabbit polyclonal antibody

别 名： IGFR; CD221; IGFIR; JTK13

抗 原： IGF1R(Ab-1346)

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

反应种属： Human

相关类别： 一抗

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|---|
| Background: | This receptor binds insulin-like growth factor with a high affinity. It has tyrosine kinase activity. The insulin-like growth factor I receptor plays a critical role in transformation events. Cleavage of the precursor generates alpha and beta subunits. It is highly overexpressed in most malignant tissues where it functions as an anti-apoptotic agent by enhancing cell survival. |
| Applications: | WB, IHC |
| Name of antibody: | IGF1R(Ab-1346) |
| Immunogen: | Synthesized non-phosphopeptide derived from human IGF1R around the phosphorylation site of tyrosine 1346 (Q-P-Y(p)-A-H). |

| | |
|---------------------------------|---------------------------------------|
| Full name: | insulin-like growth factor 1 receptor |
| Synonyms : | IGFR; CD221; IGFIR; JTK13 |
| SwissProt: | P08069 |
| IHC positive control: | Human brain tissue |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 155 kDa |
| WB Positive control: | A549 cells lysate |
| WB Recommended dilution: | 500-3000 |



