

兔抗 LPAR1 多克隆抗体

中文名称： 兔抗 LPAR1 多克隆抗体

英文名称： Anti-LPAR1 rabbit polyclonal antibody

别 名： EDG2; LPA1; VZG1; GPR26; edg-2; vzug-1; Gpcr26; Mrec1.3; rec.1.3

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： LPAR1

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	The integral membrane protein encoded by this gene is a lysophosphatidic acid (LPA) receptor from a group known as EDG receptors. These receptors are members of the G protein-coupled receptor superfamily. Utilized by LPA for cell signaling, EDG receptors mediate diverse biologic functions, including proliferation, platelet aggregation, smooth muscle contraction, inhibition of neuroblastoma cell differentiation, chemotaxis, and tumor cell invasion.
Applications:	ELISA, WB, IHC
Name of antibody:	LPAR1
Immunogen:	Synthetic peptide of human LPAR1
Full name:	lysophosphatidic acid receptor 1
Synonyms :	EDG2; LPA1; VZG1; GPR26; edg-2; vzug-1; Gpcr26; Mrec1.3;

	rec.1.3
SwissProt:	Q92633
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	41 kDa
WB Positive control:	A375 cells
WB Recommended dilution:	200-1000



