

# 兔抗 CLOCK 多克隆抗体

中文名称：兔抗 CLOCK 多克隆抗体

英文名称： Anti-CLOCK rabbit polyclonal antibody

别 名： KAT13D; bHLHe8

相关类别：一抗

储 存：冷冻 (-20°C) 避光

抗 原：CLOCK

宿 主：Rabbit

反应种属：Human Mouse Rat

标记物：Unconjugate

克隆类型：Unconjugate

## 技术规格

<b>Background:</b>	The protein encoded by this gene plays a central role in the regulation of circadian rhythms. The protein encodes a transcription factor of the basic helix-loop-helix (bHLH) family and contains DNA binding histone acetyltransferase activity. The encoded protein forms a heterodimer with ARNTL (BMAL1) that binds E-box enhancer elements upstream of Period (PER1, PER2, PER3) and Cryptochrome (CRY1, CRY2) genes and activates transcription of these genes.
<b>Applications:</b>	WB, IHC
<b>Name of antibody:</b>	CLOCK
<b>Immunogen:</b>	Synthesized peptide derived from Internal of human Clock.

<b>Full name:</b>	clock circadian regulator
<b>Synonyms :</b>	KAT13D; bHLHe8
<b>SwissProt:</b>	O15516
<b>IHC positive control:</b>	Human skeletal muscle tissue
<b>IHC Recommend dilution:</b>	50-100
<b>WB Predicted band size:</b>	95 kDa
<b>WB Positive control:</b>	Huvec cells lysate
<b>WB Recommended dilution:</b>	500-3000



