

兔抗 CLTC 多克隆抗体

- 中文名称: 兔抗 CLTC 多克隆抗体
- 英文名称: Anti-CLTC rabbit polyclonal antibody
- 别 名: Hc; CHC; CHC17; CLH-17; CLTCL2
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃)
- 宿 主: Rabbit
- 抗 原: CLTC
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

| Background: | Clathrin is a major protein component of the cytoplasmi c face of intracellular organelles, called coated vesicles a nd coated pits. These specialized organelles are involved in the intracellular trafficking of receptors and endocytos is of a variety of macromolecules. The basic subunit of t he clathrin coat is composed of three heavy chains and three light chains. |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | CLTC |
| Immunogen: | Synthetic peptide of human CLTC |
| Full name: | clathrin, heavy chain (Hc) |
| Synonyms : | Hc; CHC; CHC17; CLH-17; CLTCL2 |
| SwissProt: | Q00610 |



| ELISA Recommended dilution: | 1000-2000 |
|-----------------------------|-----------------------------------------------|
| IHC positive control: | Human thyroid cancer and Human gastric cancer |
| IHC Recommend dilution: | 50-200 |
| WB Predicted band size: | 192 kDa |
| WB Positive control: | NIH/3T3 and hela cells |
| WB Recommended dilution: | 200-1000 |





