

兔抗 CSF2RA 多克隆抗体

中文名称：兔抗 CSF2RA 多克隆抗体

英文名称：Anti-CSF2RA rabbit polyclonal antibody

别名：GMR; CD116; CSF2R; SMDP4; CDw116; CSF2RX; CSF2RY; GMCSFR; CSF2RAX; CSF2RAY; GM-CSF-R-alpha

抗原：CSF2RA

储存：冷冻 (-20°C)

宿主：Rabbit

相关类别：一抗

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is the alpha subunit of the heterodimeric receptor for colony stimulating factor 2, a cytokine which controls the production, differentiation, and function of granulocytes and macrophages. The encoded protein is a member of the cytokine family of receptors. This gene is found in the pseudoautosomal region (PAR) of the X and Y chromosomes. Multiple transcript variants encoding different isoforms have been found for this gene, with some of the isoforms being membrane-bound and others being soluble.
Applications:	ELISA, WB, IHC
Name of antibody:	CSF2RA

Immunogen:	Synthetic peptide of human CSF2RA
Full name:	colony stimulating factor 2 receptor, alpha, low-affinity
Synonyms :	GMR; CD116; CSF2R; SMDP4; CDw116; CSF2RX; CSF2RY; GM-MCSFR; CSF2RAX; CSF2RAY; GM-CSF-R-alpha
SwissProt:	P15509
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human cervical cancer and Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	46 kDa
WB Positive control:	Human placenta tissue and HepG2 cells
WB Recommended dilution:	500-2000



