

## 兔抗 CXXC5 多克隆抗体

中文名称: 兔抗 CXXC5 多克隆抗体

英文名称: Anti-CXXC5 rabbit polyclonal antibody

别 名: CF5; WID; RINF; HSPC195

相关类别: 一抗

储 存: 冷冻(-20℃)

抗原: CXXC5

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal


## 技术规格

| Background:       | The protein encoded by this gene is a retinoid-inducible n uclear protein containing a CXXC-type zinc finger motif. T he encoded protein is involved in myelopoiesis, is require d for DNA damage-induced p53 activation, regulates the differentiation of C2C12 myoblasts into myocytes, and neg atively regulates cutaneous wound healing. Several transcript variants encoding the same protein have been found f or this gene. |
|-------------------|--|
| Applications:     | ELISA, WB, IHC   |
| Name of antibody: | CXXC5  |
| Immunogen:        | Fusion protein of human CXXC5  |
| Full name:        | CXXC finger protein 5  |



## 全国订货电话 4008-723-722

|                             | q                       |
|-----------------------------|-------------------------|
| Synonyms:                   | CF5; WID; RINF; HSPC195 |
| SwissProt:                  | Q7LFL8                  |
| ELISA Recommended dilution: |                         |
| IHC positive control:       | Human liver cancer      |
| IHC Recommend dilution:     | 150-300                 |
| WB Predicted band size:     | 33 kDa                  |
| WB Positive control:        | 231 cell lysate         |
| WB Recommended dilution:    | 1000-5000               |





全国订货电话 4008-723-722

