

兔抗 CYP46A1 多克隆抗体

中文名称：兔抗 CYP46A1 多克隆抗体

英文名称：Anti-CYP46A1 rabbit polyclonal antibody

别名：CP46; CYP46

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：CYP46A1

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This endoplasmic reticulum protein is expressed in the brain, where it converts cholesterol to 24S-hydroxycholesterol. While cholesterol cannot pass the blood-brain barrier, 24S-hydroxycholesterol can be secreted in the brain into the circulation to be returned to the liver for catabolism.
Applications:	ELISA, WB, IHC
Name of antibody:	CYP46A1
Immunogen:	Synthetic peptide of human CYP46A1

Full name:	cytochrome P450, family 46, subfamily A, polypeptide 1
Synonyms :	CP46; CYP46
SwissProt:	Q9Y6A2
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human brain and Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	57 kDa
WB Positive control:	Human lymphoma tissue
WB Recommended dilution:	200-1000



