

兔抗 MAPK1/MAPK3(Phospho-Tyr187/204) 多克隆抗体

中文名称： 兔抗 MAPK1/MAPK3(Phospho-Tyr187/204)多克隆抗体

英文名称： Anti-MAPK1/MAPK3(Phospho-Tyr187/204) rabbit polyclonal antibody

别 名： ERK1/2

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： MAPK1/MAPK3

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	Involved in both the initiation and regulation of meiosis, mitosis, and postmitotic functions in differentiated cells by phosphorylating a number of transcription factors such as ELK-1. Phosphorylates EIF4EBP1; required for initiation of translation. Phosphorylates microtubule-associated protein 2 (MAP2). Phosphorylates SPZ1.
Applications:	WB, IHC, IF
Name of antibody:	MAPK1/MAPK3(Phospho-Tyr187/204)
Immunogen:	Synthetic peptide of human MAPK1/MAPK3(Phospho-Tyr187/204)
Full name:	mitogen-activated protein kinase 1/3

Synonyms:	ERK; p38; p40; p41; ERK2; ERT1; ERK-2; MAPK2; PRKM1; PRK M2; P42MAPK; p41mapk; p42-MAPK; ERK1; ERT2; ERK-1; PR KM3; P44ERK1; P44MAPK; HS44KDAP; HUMKER1A; p44-ERK1; p44-MAPK
SwissProt:	P28482/P27361
IHC positive control:	Human breast carcinoma
IHC Recommend dilution:	50-100
WB Predicted band size:	42 kDa; 44 kDa
WB Positive control:	0.5ug, 1ug, 1.5ug, 2ug recombinant 6×HIS Tagged protein
WB Recommended dilution:	500-1000
IF Positive control:	Hela cells
IF Recommended dilution:	100-200



