

兔抗 MED1 多克隆抗体

- 中文名称: 兔抗 MED1 多克隆抗体
- 英文名称: Anti-MED1 rabbit polyclonal antibody
- 别名: mediator complex subunit 1
- 相关类别: 一抗
- 储存: 冷冻(-20℃)避光
- 抗原: MED1
- 宿 主: Rabbit
- 反应种属: Human Mouse
- 标记物: Unconjugate
- 克隆类型: Unconjugate
- 技术规格

Background:	The activation of gene transcription is a multistep process t hat is triggered by factors that recognize transcriptional en hancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1.
Applications:	WB, IHC
Name of antibody:	MED1
Immunogen:	Synthesized peptide derived from internal of human MED1.
Full name:	mediator complex subunit 1
Synonyms :	mediator complex subunit 1
SwissProt:	Q15648





IHC positive control:	Human breast carcinoma tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	168 kDa
WB Positive control:	Jurkat cells lysate
WB Recommended dilution:	500-3000





全国订货电话 4008-723-722

