

兔抗 DPYSL2(Phospho-Thr509) 多克隆抗体

中文名称: 兔抗 DPYSL2(Phospho-Thr509) 多克隆抗体

英文名称: Anti-DPYSL2(Phospho-Thr509) rabbit polyclonal antibody

别名: DRP2; N2A3; CRMP2; DRP-2; ULIP2; CRMP-2; DHPRP2; ULIP-2

相关类别: 一抗

储 存: 冷冻(-20℃) 避光

宿 主: Rabbit

抗原: DPYSL2(Phospho-Thr509)

反应种属: Human

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

te neuron guidance, growth and polarity. The encoded protein promotes microtubule assembly and is require d for Sema3A-mediated growth cone collapse, and als o plays a role in synaptic signaling through interaction s with calcium channels. This gene has been implicate d in multiple neurological disorders, and hyperphosph orylation of the encoded protein may play a key role in the development of Alzheimer's disease. Alternativel

This gene encodes a member of the collapsin respons e mediator protein family. Collapsin response mediator proteins form homo- and hetero-tetramers and facilita

y spliced transcript variants encoding multiple isoforms have been observed for this gene. [provided by RefSe



	q, Sep 2011]
Applications:	WB, IHC
Name of antibody:	DPYSL2(Phospho-Thr509)
Immunogen:	Peptide sequence around phosphorylation site of threo nine 509 (S-V-T(p)-P-K) derived from Human CRMP-2.
Full name:	dihydropyrimidinase-like 2
Synonyms:	DRP2; N2A3; CRMP2; DRP-2; ULIP2; CRMP-2; DHPRP2; ULIP-2
SwissProt:	Q16555
IHC positive control:	Human brain tissue
IHC Recommend dilution:	50-100
WB Predicted band size:	62 kDa
WB Positive control:	HT29 cells lysates treated with heat shock
WB Recommended dilution:	500-1000





