

兔抗 PPARG 多克隆抗体

中文名称： 兔抗 PPARG 多克隆抗体

英文名称： Anti-PPARG rabbit polyclonal antibody

别 名： GLM1; CIMT1; NR1C3; PPARG1; PPARG2; PPARgamma

相关类别： 一抗

储 存： 冷冻 (-20°C)

宿 主： Rabbit

抗 原： PPARG

反应种属： Human, Mouse, Rat

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

Background:	This gene encodes a member of the peroxisome proliferator-activated receptor (PPAR) subfamily of nuclear receptors. PPARs form heterodimers with retinoid X receptors (RXRs) and these heterodimers regulate transcription of various genes. Three subtypes of PPARs are known: PPAR-alpha, PPAR-delta, and PPAR-gamma. The protein encoded by this gene is PPAR-gamma and is a regulator of adipocyte differentiation. Additionally, PPAR-gamma has been implicated in the pathology of numerous diseases including obesity, diabetes, atherosclerosis and cancer. Alternatively spliced transcript variants that encode different isoforms have been described.
Applications:	ELISA, WB, IHC
Name of antibody:	PPARG
Immunogen:	Synthetic peptide of human PPARG
Full name:	peroxisome proliferator activated receptor gamma
Synonyms:	GLM1; CIMT1; NR1C3; PPARG1; PPARG2; PPARgamma

SwissProt:	P37231
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and human breast cancer
IHC Recommend dilution:	20-100



