

兔抗 PSAP 多克隆抗体

- 中文名称: 兔抗 PSAP 多克隆抗体
- 英文名称: Anti-PSAP rabbit polyclonal antibody
- 别 名: FLJ00245; GLBA; MGC110993; SAP1
- 相关类别: 一抗
- 储 存: 冷冻 (-20℃) 避光
- 宿 主: Rabbit
- 抗 原: PSAP
- 反应种属: Human, Mouse, Rat
- 标记物: Unconjugate
- 克隆类型: rabbit polyclonal

技术规格

Background:	The PSAP gene encodes prosaposin, a precursor of four sma II nonenzymatic glycoproteins termed 'sphingolipid activator proteins' (SAPs) that assist in the lysosomal hydrolysis of sp hingolipids. After proteolytic processing of the presaposin pr otein, these 4 released polypeptides are functional activators. Saposin A is encoded by residues 60 to 143 of PSAP, saposi n B by 195 to 275, saposin C by 311 to 390, and saposin D by 405 to 487. They are four 12-14 kDa heatstable glycopro teins. Saposins A-D localize primarily to the lysosomal comp artment where they facilitate the catabolism of glycosphingo
	artment where they facilitate the catabolism of glycosphingo lipids with short oligosaccharide groups. Saposins A-D are re quired for the hydrolysis of certain sphingolipids by specific lysosomal hydrolases. Defects in PSAP are the cause of Gauc



全国订货电话 4008-723-722

	her disease, Tay-Sachs disease, and metachromatic leukodyst rophy. This PSAP antibody (10801-1-AP) is expected to reco gnize both saposin A and B.
Applications:	WB
Name of antibody:	PSAP
Immunogen:	Fusion protein of human PSAP
Full name:	prosaposin
Synonyms :	FLJ00245; GLBA; MGC110993; SAP1
SwissProt:	P07602
WB Predicted band size:	58 kDa
WB Positive control:	HEK-293 cells
WB Recommended dilution:	500-2000

