

## 兔抗 TMEM30B 多克隆抗体

- 中文名称:兔抗 TMEM30B 多克隆抗体
- 英文名称: Anti-TMEM30B rabbit polyclonal antibody
- 别名: CDC50B
- 抗原: TMEM30B
- 储存: 冷冻 (-20℃) 避光
- 宿 主: Rabbit
- 反应种属: Human
- 相关类别: 一抗
- 标记物: Unconjugate
- 克隆类型: Unconjugate

## 技术规格

|             | Accessory component of a P4-ATPase flippase complex w      |
|-------------|--|
|             | hich catalyzes the hydrolysis of ATP coupled to the trans  |
|             | port of aminophospholipids from the outer to the inner I   |
|             | eaflet of various membranes and ensures the maintenanc     |
|             | e of asymmetric distribution of phospholipids. Phospholipi |
| Background: | d translocation seems also to be implicated in vesicle for |
|             | mation and in uptake of lipid signaling molecules. The be  |
|             | ta subunit may assist in binding of the phospholipid subs  |
|             | trate Probable. Can mediate the export of alpha subunits   |
|             | ATP8A1, ATP8B1, ATP8B2 and ATP8B4 from the ER to the       |
|             | plasma membrane.   |



| Applications:            | WB   |
|--------------------------|--|
| Name of antibody:        | ТМЕМ30В  |
| Immunogen:               | Synthesized peptide derived from internal of human TME M30B. |
| Full name:               | transmembrane protein 30B                                    |
| Synonyms :               | CDC50B   |
| SwissProt:               | Q3MIR4   |
| WB Predicted band size:  | 39 kDa   |
| WB Positive control:     | K562 cells lysate  |
| WB Recommended dilution: | 500-3000   |

