

## 兔抗 TNFSF10 多克隆抗体

- 中文名称: 兔抗 TNFSF10 多克隆抗体
- 英文名称: Anti-TNFSF10 rabbit polyclonal antibody
- 别 名: tumor necrosis factor superfamily member 10 TL2; APO2L; CD253; TRAIL; Apo-2L; TNLG6A

抗	原 <b>:</b>	TNFSF10
储	存:	冷冻(-20℃)
宿	主:	Rabbit
相关	类别:	一抗
反应	种属:	Human
标讠	己物:	Unconjugate
克隆	类型:	rabbit polyclonal

## 技术规格

Background:	The protein encoded by this gene is a cytokine tha t belongs to the tumor necrosis factor (TNF) ligand family. This protein preferentially induces apoptosis in transformed and tumor cells, but does not appea r to kill normal cells although it is expressed at a si gnificant level in most normal tissues. This protein binds to several members of TNF receptor superfa mily including TNFRSF10A/TRAILR1, TNFRSF10B/TRAI LR2, TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4, and
	LR2, TNFRSF10C/TRAILR3, TNFRSF10D/TRAILR4, and possibly also to TNFRSF11B/OPG. The activity of thi



	s protein may be modulated by binding to the dec oy receptors TNFRSF10C/TRAILR3, TNFRSF10D/TRAIL R4, and TNFRSF11B/OPG that cannot induce apopto sis. The binding of this protein to its receptors has been shown to trigger the activation of MAPK8/JNK , caspase 8, and caspase 3. Alternatively spliced tra nscript variants encoding different isoforms have be en found for this gene.
Applications:	ELISA, IHC
Name of antibody:	TNFSF10
Immunogen:	Fusion protein of human TNFSF10
Full name:	tumor necrosis factor superfamily member 10
Synonyms:	TL2; APO2L; CD253; TRAIL; Apo-2L; TNLG6A
SwissProt:	P50591
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer
IHC Recommend dilution:	25-100

