



兔抗 TP53 (Phospho-Ser15)多克隆抗体

中文名称： 兔抗 TP53 (Phospho-Ser15)多克隆抗体

英文名称： Anti-TP53 (Phospho-Ser15) rabbit polyclonal antibody

别 名： P53; BCC7; LFS1; TRP53

相关类别： 一抗

储 存： 冷冻 (-20°C) 避光

宿 主： Rabbit

抗 原： TP53 (Phospho-Ser15)

反应种属： Human


标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|----------------------|---|
| Background: | Acts as a tumor suppressor in many tumor types; induces growth arrest or apoptosis depending on the physiological circumstances and cell type. Involved in cell cycle regulation as a trans-activator that acts to negatively regulate cell division by controlling a set of genes required for this process. One of the activated genes is an inhibitor of cyclin-dependent kinases. Apoptosis induction seems to be mediated either by stimulation of BAX and FAS antigen expression, or by repression of Bcl-2 expression. Implicated in Notch signaling cross-over. |
| Applications: | WB, IHC, IF |

| | |
|---------------------------------|---|
| Name of antibody: | TP53 (Phospho-Ser15) |
| Immunogen: | Synthetic peptide of human TP53 (Phospho-Ser15) |
| Full name: | tumor protein p53 (Phospho-Ser15) |
| Synonyms : | P53; BCC7; LFS1; TRP53 |
| SwissProt: | P04637 |
| IHC positive control: | Human breast carcinoma |
| IHC Recommend dilution: | 50-100 |
| WB Predicted band size: | 44 kDa |
| WB Positive control: | 293 cells treated with UV |
| WB Recommended dilution: | 500-1000 |
| IF Positive control: | Hela cells |
| IF Recommended dilution | 100-200 |



mlbio 海联生物
Good elisakit producers

